

Specifications

Eaton 8D725F37AA

Aluminium jam nut receptacle, Nickel plating, without male contacts, polarization A; 8D725F37AA



Photo is representative



General specifications

PRODUCT NAME	Eaton Souriau D38999 SIII / 8D series milaero connectors
CATALOG NUMBER	8D725F37AA
PRODUCT LENGTH/DEPTH	32.5 mm
PRODUCT HEIGHT	55 mm
PRODUCT WIDTH	55 mm
PRODUCT WEIGHT	55 g

Product specifications

FITTED WITH:	Shielding
CONNECTOR ORIENTATION	A
CONNECTOR TYPE	
CONTACT DELIVERY	Not delivered
CONTACT GENDER	Pin (Male)
COUPLING TYPE	
DEGREE OF PROTECTION	IP67
LAYOUT	37
PLATING	Nickel
SHELL CONTINUITY	
SHELL MATERIAL	
SHELL SIZE	25
MATING CYCLES	500
OPERATING TEMPERATURE - MAX	200 °C
OPERATING TEMPERATURE - MIN	-65 °C
RECEPTACLE TYPE	Jam Nut Receptacle
NUMBER OF CONTACTS	37
NUMBER OF CAVITY #16	37
SALT SPRAY	48 hour
WORKING VOLTAGE (VRMS)	2300 V

Resources

3D MODELS	8d-24-25 NOT-LISTED.stp
DRAWINGS	8D725F37AA-C.pdf

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

